


# MAXI 450

M I G R A N G E



## TECHNICAL DATA

Voltage class	L
Cooling	Air cooled
Wire Ø mm	0.8 • 1.0 • 1.2 • 1.6 • 2.0
Duty cycle 60%	500A CO <sub>2</sub> • 400A Mix



### DECLARATION OF CONFORMITY

The undersigned company Trafimet - Via del Lavoro, 8 - 36020 Castegnero (VI) - Italy - declares that the product identified and described on this page complies with standard EN 60974-7 in accordance with the requirements contemplated by directive EEC 73/23 low voltage.



EN 60974-7

### MAXI 450 m LINER ADAPTOR






EURO SPRING PINS	MAXI 450	m	LINER	ADAPTOR
	MA6465	3	GM0012	AR0083
	MA6466	4	GM0012	AR0083
	MA6467	4.6	GM0012	AR0083


*trafimet*<sup>®</sup>

*your welding partner*

www.trafimet.com



**MQ0182**




- MD0005-08** Ø 0.8  
**MD0005-10** Ø 1.0  
**MD0005-12** Ø 1.2 • Standard  
**MD0005-14** Ø 1.4  
**MD0005-16** Ø 1.6  
**MD0005-20** Ø 2.0

**Cu Cr Zr**


- MD1005-80** Ø 1.0  
**MD0005-82** Ø 1.2  
**MD0005-86** Ø 1.6

**Triangular**

- MD1005-10** Ø 1.0  
**MD1005-12** Ø 1.2  
**MD1005-16** Ø 1.6  
**MD1005-80** Ø 1.0 CuCrZr  
**MD1005-82** Ø 1.2 CuCrZr  
**MD1005-86** Ø 1.6 CuCrZr



**AR0083** Spring pins



Special liners for aluminium with GM0240 liner included				
STEEL	TEFLON	TEFLON	TEFLON-GRAPHITE	CARBON
m	- wire 0.91.2 -			
4.6	<b>GM0226</b>	<b>GM0230</b>	<b>GM0705</b>	<b>GM0706</b> <b>GM0707</b>
m	- wire 1.21.6 -			
4.6	<b>GM0013</b>	<b>GM0231</b>		
m	- wire 1.62.0 -			
4.6	<b>GM0221</b>			

